



# 2021-2022 Testing for Lead in School Drinking Water Statement of Assurance (SOA)

## SOA due date: June 30, 2022

1. The purpose of the SOA is to confirm that water testing for lead was completed in accordance with N.J.A.C. 6A:26-12.4, required public notifications are provided, and alternate drinking water sources have been made available as required based on the testing results. The submission of a SOA is required regardless of whether an exemption from lead water testing has been granted.

### SOA Completion Instructions:

#### The information listed below is required to complete the SOA form:

1. Results of lead water testing by a certified laboratory for all facilities serving students and staff;
2. The web address of the water testing results posted on the reporting entity's webpage;
3. The web address of the Notice of Exceedance Letter posted on your entity's webpage, if applicable; and
4. A Department-approved water testing exemption request and web address of posted exemption approval letter, if applicable

**If you do not have access to the above information, you will not be able to complete the SOA and should not proceed to the next screen.** All data entry fields must be completed in one sitting. Only one SOA should be completed for an entity; a subsequent submission will replace the prior submission. \*

- Click on the box to the left to confirm that items 1-4, as listed above, are available as applicable for reference, and you are authorized by the reporting entity to proceed with SOA completion.**

## Entity ID

2. Select your entity type from the list below. \*

- Approved private school for students with disabilities (APSSD)
- Public School District, ESC, Jointure Commission, Charter or Renaissance School
- Early Childcare Facility

## APSSD - County ID

3. Select the county from the list below. \*

- ATLANTIC (2)
- BERGEN (4)
- BURLINGTON (6)
- CAMDEN (8)
- CAPE MAY (10)
- CUMBERLAND (12)
- ESSEX (14)
- GLOUCESTER (16)
- HUDSON (18)
- HUNTERDON (20)
- MERCER (22)
- MIDDLESEX (24)

- MONMOUTH (26)
- MORRIS (28)
- OCEAN (30)
- PASSAIC (32)
- SALEM (34)
- SOMERSET (36)
- SUSSEX (38)
- UNION (40)
- WARREN (42)

## APSSD List

**IMPORTANT:** If your entity is not listed, use the "back" button at the bottom of the page to confirm that the correct entity type and county were selected. If correctly selected, email [leadtesting@doe.nj.gov](mailto:leadtesting@doe.nj.gov) and provide the missing entity name, DOE code, entity type, and county.

### 4. Select your entity from the list below. \*

- 1ST CEREBRAL PALSY OF NEW JERSEY (8326)
- ACADEMY 360: UPPER SCHOOL (8389)
- ACADEMY 360: LOWER SCHOOL (8224)
- ALLEGRO SCHOOL (8204)
- ALPHA SCHOOL (8205)
- ALPINE LEARNING GROUP, INC. (8206)
- ARC OF ESSEX COUNTY STEPPING STONE SCHOOL, THE (8202)
- ARCHBISHOP DAMIANO SCHOOL (8207)
- ARCHWAY PROGRAMS, ATCO (8208)

- ARCHWAY SCHOOL AT COOPER'S POYNT (8404)
- BANCROFT NEUROHEALTH SCHOOL, CHERRY HILL (8380)
- BANCROFT NEUROHEALTH PEDIATRIC SCHOOL, VOORHEES (8381)
- BANCROFT NEUROHEALTH SCHOOL, MT. LAUREL (8379)
- BANYAN SCHOOL (8209)
- BANYAN UPPER SCHOOL (8210)
- BERGEN CENTER FOR CHILD DEVELOPMENT (8212)
- BONNIE BRAE SCHOOL (8213)
- BRIDGE ACADEMY (8309)
- BROADSTEP ACADEMY (FORMERLY WILLOWGLEN ACADEMY) (8360)
- BROOKFIELD ACADEMY (8214)
- BROOKFIELD ACADEMY TRANSITION TO COLLEGE (8336)
- BROOKFIELD ELEMENTARY SCHOOL (8382)
- C.P.C. HIGH POINT ADOLESCENT AND ELEMENTARY SCHOOL (8231)
- CALAIS SCHOOL (8215)
- CELEBRATE THE CHILDREN (8383)
- CENTER FOR EDUCATION, THE (8399)
- CENTER FOR EDUCATIONAL ADVANCEMENT SCHOOL AT SOUTH HUNTERDON (8401)
- CENTER SCHOOL (8217)
- CHANCELLOR ACADEMY (8218)
- CHAPEL HILL ACADEMY (8219)
- CHILDREN'S CENTER OF MONMOUTH COUNTY (8221)
- COASTAL LEARNING CENTER, ATLANTIC (8227)
- COASTAL LEARNING CENTER, MONMOUTH (8337)

- COLLIER SCHOOL (8228)
- COMMUNITY ELEMENTARY SCHOOL (8358)
- COMMUNITY HIGH SCHOOL (8311)
- CREATIVE ACHIEVEMENT ACADEMY (8232)
- CROSSROADS ACADEMY (FORMERLY LCEC) (8270)
- CTC ACADEMY, INC. - FAIR LAWN (8310)
- CTC ACADEMY, INC. - OAKLAND (8402)
- DAVID GREGORY SCHOOL (8233)
- DELAWARE VALLEY SCHOOL FOR EXCEPTIONAL CHILDREN (8235)
- DERON SCHOOL I (8236)
- DERON SCHOOL II (8341)
- DOUGLAS DEVELOPMENTAL DISABILITIES CENTER
- DURAND, INC. (8238)
- E.C.L.C. OF NEW JERSEY, CHATHAM CAMPUS (8239)
- E.C.L.C. OF NEW JERSEY, HO-HO-KUS CAMPUS (8342)
- EAST MOUNTAIN SCHOOL, A DIVISION OF CARRIER CLINIC (8240)
- EDEN SCHOOL, THE (8241)
- EDUCATION ACADEMY, THE (8312)
- EDUCATIONAL PARTNERSHIP FOR INSTRUCTING CHILDREN (8242)
- ESSEX VALLEY SCHOOL (8243)
- FEDCAP - 4T (TEACHING, TRAINING, TOWARDS TRANSITION) (8266)
- FELICIAN SCHOOL FOR EXCEPTIONAL CHILDREN (8244)
- FIRST CHILDREN SCHOOL (8225)
- FORUM SCHOOL (8245)

- GARDEN ACADEMY (8328)
- GARFIELD PARK ACADEMY (8246)
- GATEWAY SCHOOL (8247)
- GLENVIEW ACADEMY (8249)
- GRAMON SCHOOL (8343)
- GREEN BROOK ACADEMY (8250)
- HAMPTON ACADEMY (8251)
- HARBOR SCHOOL (8252)
- HAWKSWOOD SCHOOL(FORMERLY SCHOOL FOR CHILDREN) (8296)
- HIGH POINT SCHOOL OF BERGEN COUNTY (8253)
- HOLLYDELL SCHOOL (8255)
- HOLMSTEAD SCHOOL (8256)
- HONOR RIDGE ACADEMY (8400)
- HUNTERDON PREPARATORY SCHOOL (8258)
- INCLUSIVE LEARNING ACADEMY - KINNELON (8406)
- INCLUSIVE LEARNING ACADEMY - STONYBROOK CAMPUS (8405)
- INSTITUTE FOR EDUCATIONAL ACHIEVEMENT (8259)
- J. PERRI ENTERPRISES, INC., T/A: BENWAY SCHOOL (8211)
- JARDINE ACADEMY (8314)
- KINGSWAY LEARNING CENTER (8264)
- KOHLER ACADEMY (FORMERLY ARC KOHLER) (8308)
- LAKELAND-ANDOVER SCHOOL (8265)
- LAKEVIEW LEARNING CENTER (8267)
- LAKEVIEW SCHOOL (8268)

- LARC SCHOOL (8269)
- LEGACY TREATMENT SERVICES - MARY A. DOBBINS SCHOOL (8223)
- LEHMANN SCHOOL (8349)
- MATHENY SCHOOL AND HOSPITAL (8274)
- MIDLAND SCHOOL (8276)
- MONTGOMERY ACADEMY (8278)
- MOUNT CARMEL GUILD ACADEMY (8279)
- NEW BEGINNINGS (8344)
- NEW ROAD SCHOOL OF OCEAN (8347)
- NEW ROAD SCHOOL OF PARLIN (8346)
- NEW ROAD SCHOOL OF SOMERSET (8254)
- NEWGRANGE SCHOOL (8281)
- NEWMARK HIGH SCHOOL, INC. (8378)
- NJEDDA ELEMENTARY SCHOOL (8289)
- NJEDDA HIGH SCHOOL (8353)
- NORTH HUDSON ACADEMY (8283)
- OAKWOOD SCHOOL (8285)
- OCEAN ACADEMY (8286)
- P.G. CHAMBERS SCHOOL (8287)
- PARADIGM THERAPEUTIC DAY SCHOOL (8403)
- PHOENIX CENTER (8290)
- PILLAR ELEMENTARY SCHOOL (FORMERLY HORIZON SCHOOL) (8313)
- PILLAR HIGH SCHOOL (FORMERLY HORIZON HIGH SCHOOL) (8257)
- PINELAND LEARNING CENTER INC (8354)

- PRINCETON CHILD DEVELOPMENT INST. (8292)
- REED ACADEMY (8293)
- ROCK BROOK SCHOOL (8294)
- RUGBY SCHOOL, INC., THE (8295)
- SCHOOL FOR CHILDREN WITH HIDDEN INTELLIGENCE (8297)
- SCHROTH SCHOOL (8271)
- SEARCH DAY PROGRAM (8298)
- SHEPARD PREPARATORY HIGH SCHOOL (8356)
- SHEPARD SCHOOL (8299)
- SOMERSET HILLS LEARNING INSTITUTE (8301)
- ST. JOSEPH'S SCHOOL FOR THE BLIND (8304)
- STRANG SCHOOL (8306)
- SUMMIT SPEECH SCHOOL (8307)
- THE NEWMARK SCHOOL, INC. (8282)
- THE TITUSVILLE ACADEMY (8316)
- THERAPEUTIC SCHOOL AND PRESCHOOL (8315)
- WARREN GLEN ACADEMY (FORMERLY STEPPING STONE) (8305)
- WESTBRIDGE ACADEMY (8220)
- WINDSOR BERGEN ACADEMY (8319)
- WINDSOR LEARNING CENTER (8362)
- WINDSOR PREP (8361)
- WINDSOR SCHOOL (8320)
- Y.A.L.E. SCHOOL, ATLANTIC (8363)
- Y.A.L.E. SCHOOL, CHERRY HILL (8322)



- Y.A.L.E. SCHOOL, EAST - NORTHFIELD (8365)
- Y.A.L.E. SCHOOL, NORTH II - KIRBY'S MILL (8388)
- Y.A.L.E. SCHOOL, NORTH MEDFORD MEMORIAL (8368)
- Y.A.L.E. SCHOOL, SOUTHEAST - EVESHAM (8366)
- Y.A.L.E. SCHOOL, SOUTHEAST II - AUDUBON (8364)
- Y.A.L.E. SCHOOL, SOUTHEAST III - MANSION AVE (8377)
- Y.A.L.E. SCHOOL, WEST - ELLISBURG (8367)
- Y.A.L.E. WEST II (8407)
- Y.C.S. GEORGE WASHINGTON SCHOOL (8370)
- Y.C.S., SAWTELLE LEARNING CENTER- MONTCLAIR (8284)

## Authorized Representative

Enter contact information for an authorized administrator employed by the reporting entity and responsible for the contents of the SOA submission.

5. Authorized Representative Name: \*

Lee Vodofsky

6. Authorized Representative Title (Superintendent, Business Administrator, etc.): \*

Principal

7. Authorized Representative Email: \*

vodofskyl@harborschool.com

8. Authorized Representative Phone Number (format: xxx-xxx-xxxx): \*

732-544-9394

9. Authorized Representative Street Address: \*

240 Broad Street

10. Authorized Representative City: \*

Eatontown

11. Authorized Representative State: \*

New Jersey

12. Authorized Representative Zip Code: \*

07724

13. Identify the person to be contacted by the Department should there be questions concerning the submission. \*

- Click here if the SOA submission contact is the same as the authorized representative.
- Click here if the SOA submission contact is someone other than the authorized representative.

## Water Testing Exemption Status

Entities may request an exemption from the lead testing requirements if they can demonstrate that they do not use any drinking water outlets for consumption or food preparation in any of their facilities (N.J.A.C. 6A:26-12.4(j)). **Water testing exemption requests must be submitted to and approved by the Department prior to the completion of the SOA.**

An exemption approval from the Department must be made available for inspection at the school facility and posted on the entity’s website. **Do not proceed with the SOA unless the website link(s) to the required public reporting are live.**

If you plan to request an exemption or are waiting to receive Department approval for an exemption request, exit the SOA application until the exemption approval is received.

### 14. Exemption Status:

Is the entity exempt from water testing from July 1, 2021 to June 30, 2022? \*

Yes

No

## Water Testing Results

In accordance with N.J.A.C. 6A-12.4(e), the most recent lead test results collected between July 1, 2021 and June 30, 2022 for all water outlets used for consumption or food preparation must be posted and remain on the covered entity’s website. A notification letter for results that exceed 15 µg/l (parts per billion [ppb]) must also be posted on the covered entity’s website. If an entity does not have a website, test results and exceedance notification must be posted on the district website.

**Do not proceed with the SOA unless the website link(s) to the required public reporting are live.**

### 15. Water testing start date (July 1, 2021 through June 30, 2022 only): \*

4/30/2022 

### 16. Water testing end date (July 1, 2021 through June 30, 2022 only): \*

4/30/2022

**17. Website address of the posted water testing results: \***

**NOTE:** To avoid typing errors, open the testing results in a separate browser window, copy the URL, and paste it in the field below. If water testing results are posted on multiple web pages, enter each URL separated by a comma.

www.harborschool.com

**18. Notification of Exceedance:**

Did one or more drinking water outlets exceed the lead action level of 15 µg/l (parts per billion [ppb])? \*

 Yes No

## Assurances

**Answer true or false for each statement. If a response is false, the entity has not complied with all water lead testing requirements, and the SOA cannot be approved until the district resolves the compliance issue(s).**

19. Water testing for lead was completed on or between July 1, 2021 and June 30, 2022 and in accordance with N.J.A.C. 6A:26-12.4. \*

 True False

20. The lead in drinking water analysis was conducted by a NJ Certified Drinking Water Laboratory. \*

True

False

21. All water outlets used for consumption and food preparation in school facilities, including auxiliary buildings and outside outlets on school grounds where a student or staff member has or may have access, were sampled. \*

True

False

22. All drinking water outlets with a result exceeding the lead action level of 15 µg/l (parts per billion [ppb]) were taken out of service or permanently remediated. \*

True

False

Not Applicable

23. For any results that exceed the action level of 15 µg/l [ppb], written notification was provided to the parents/guardians of all students attending the facility and facility staff describing the steps taken to immediately end use of each drinking water outlet where water quality exceeds the permissible lead level and the measures taken to ensure that alternate drinking water has been made available to all students and staff.

\*

True

False

Not Applicable

24. Website link(s) to the water testing results that are entered in the SOA are live and available to the public. \*

True

False

25. Website link(s) to the exceedance notification letter(s) that are entered in the SOA are live and available to the public.

\*

True

False

Not Applicable

26. The website link to the exemption approval letter issued by the Department to the entity that is entered in the SOA is live and available to the public.

\*

True

False

Not Applicable

## Certification

27. 1) The school district, charter school, renaissance school, jointure commission, educational services commission, approved private school for students with disabilities acting under contract to provide educational services on behalf of New Jersey public school districts, state-funded early childcare facilities pursuant to N.J.A.C. 6A:13A, and receiving schools as defined by N.J.A.C. 6A:14-7.1(a) (hereinafter collectively referred to as "entity"), has reviewed N.J.A.C 6A:26-12.4 requiring testing for lead in drinking water and provides assurance of the following:

- Water testing for lead was completed in accordance with N.J.A.C. 6A:26-12.4; and
- The development and implementation of a testing program has been completed in accordance with the technical guidelines established by the NJ Department of Environmental Protection; and
- All notifications of test results have been provided consistent with this subchapter, including the requirement to make the test results publicly available on the entity's website, or
- An exemption from the Department for lead testing was granted because the entity did not, and still does not, use any drinking water outlets for consumption or food preparation in any of its facilities and provides an alternative source of drinking water.

2) The entity will continue to fully implement the N.J.A.C. 6A:26-12.4 regulations.

3) The entity will maintain compliance with all applicable laws, codes, and regulations governing the provision of potable drinking water and testing of drinking water for lead including, but not limited to, N.J.A.C. 6A:26-12.4; the Safe Drinking Water Act, N.J.S.A. 58:12A-1 et seq., and the rules promulgated pursuant thereto, N.J.A.C. 7:10 and N.J.A.C. 6A:26-6, Planning and Construction Standards for School Facilities. \*



**By clicking the checkbox to the left, the authorized representative of the entity certifies that all statements above are true and correct**

28. Name: \*

Lee Vodofsky

29. Title: \*

Principal

30. Email: \*

vodofskyl@harborschool.com

31. Date: \*

6/23/2022 

---

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms |

The owner of this form has not provided a privacy statement as to how they will use your response data. Do not provide personal or sensitive information.

| [Terms of use](#)